COMPANY PROFILE



NORGANTARA

SEPATAH KATA DARI DIREKTUR

Berawal dari sebuah cita-cita untuk menjadi orang yang berguna bagi orang lain, lalu menjadi sebuah mimpi untuk memiliki perusahaan yang melayani kebutuhan para pelanggan di sektor industri, maka berdirilah NORGANTARA GROUP yang menjadi grup perusahaan yang selalu mengutamakan kepuasan pelanggan dengan produk-produk yang handal, berkualitas dan terpercaya di hati pelanggan-pelanggannya.

NORGANTARA GROUP diawali dengan berdirinya PT. Norgantara Surya Gemilang di Jakarta pada tahun 2002 yang kemudian diikuti PT. Norgantara Prima Perkasa di Semarang, PT.Norgantara Surya Perkasa di Surabaya, dan CV. Norgantara Niaga Utama di Solo. Semua perusahaan ini mempunyai Visi dan Misi yang sama sehingga dapat dirasakan pelanggan-pelanggan kami di manapun berada.

Dalam profil perusahaan di dalam buku ini, Anda dapat melihat berbagai produk yang berkualitas sehingga dapat dihandalkan dan akhirnya membangun rasa percaya pada pelanggan-pelanggan kami. Produk-produk yang kami ageni adalah produk-produk yang bermerk dan mempunyai reputasi bagus selama berpuluh tahun berdirinya.

Anda dapat menghubungi para penjual kami di mana saja Anda berada dan niscaya Anda temukan pelayanan yang professional dan mempunyai kemampuan di areanya masing-masing. Kami bukanlah perusahaan besar tetapi kami melayani pelanggan-pelanggan kami dengan perhatian yang besar.

Kami ingin mengucapkan beribu terimakasih atas berkenannya Anda sehingga kami berkesempatan menjadi teman dalam memenuhi segala kebutuhan perusahaan Anda.

Tuhan memberkati kita semua.

Ferry Kurniawan

VISI & MISI

VISI

- *Menjadi perusahaan penyedia barang dan jasa yang terkemuka, terpercaya, dan terhandal yang dapat memenuhi kebutuhan pelanggan di sektor industri.*

MISI

- *Mengageni produk-produk yang sudah mempunyai reputasi baik di dunia industri.*
- *Meningkatkan daya nalar sumber daya manusianya dengan menyertakan dalam pelatihan dalam dan luar negeri.*
- *Bertanggung jawab atas kinerja produk-produk yang diageni sehingga pelanggan terpuaskan.*
- *Membuat perencanaan, perhitungan, dan pembuatan alat-alat kebutuhan pabrik dengan memperhatikan kebutuhan pelanggan dan pemilihan material yang sesuai seperti yang diharapkan pelanggan.*

NORGREN
PNEUMATIC and FLUID CONTROL

ACTUATORS

ROUNDLINE



- Low friction, long life seal design, low friction Z type seal and high quality design giving typical life in excess of 10 million cycles.
- Robust unit, high strength, corrosion resistant double crimped barrel construction.
- Magnet piston as standard.

TIE-ROD/PROFILE



- Inclusion in a wide variety of sectors such as automotive, food processing (for robust, high precision and reability)
- Polyurethane seals ensure efficient low friction operating and long life.
- Long life, low friction seals and high quality design giving.
- Guarantee of 5000Km travel, operating temperature : -20ºC to + 80ºC. High.

FRL

EXCELON



- 1st FRL providing quick, easy assembly with no tools required saving time, space and money.
- Lubricator sight feed dome, allows full 360º visibility and screwdriver adjusment for easy drip rate setting. Can be made tamper resistant.
- Patented quick clamp connecting system patented quarter turn manual drain.
- Patented shut off valve, 3/2 with a threaded exhaust and lockable blade for save system isolation.
- Service life indicator can be fitted to general purpose or coalescing filters to monitor pressure drop.



MAIN LINE GENERAL PURPOSE PORTED FILTER

- Direct ported with high water removal efficiency.
- Automatic drain as standard.
- High flow with minimal pressure drop.



MINIATURE GENERAL PURPOSE FILTER

- Direct ported with high water removal efficiency.
- Automatic drain as standard.
- High flow miniature unit.
- Transparent blow for 360º visibility.

VALVES

ISO STAR



- Maintenance free over 200mil cycle.
- Hard-anodized teflon coated alumunium spool and sleeve.
- Low friction forces.
- IP65 Dust/Splash proof.

V50S Series



- Value engineered to give high flow to cost ratio.
- Compact and robust design for 3/2, 5/2 & 5/3.
- High reliable and proven soft-seal spool.
- Compact size reduced overall envelope size.
- High flow 755 - 1.020 l/min.
- Maintenance free for over 10 million cycles.

FITTINGS

PNEUFIT C



- Most comprehensive range of fittings in the market (range over 1000 to complement composite push-in fittings).
- Ready to use, fast assembly with no need for tools and providing optimum flow.



PU TUBINGS

- High degree flexibility.
- Resistance to abrasion, impact strength, kink, lubricating oil & grease.
- Tight coil diameter economizes on space.



PNEUFIT 10

- Taper threads have non-PTFE thread coating for quick seals.
- Silicone free O-ring seals.
- Reliable and corrosion resistant.

OUR PRODUCTS

OMAL AUTOMATION
EMPOWERED PERFORMANCE

ACTUATORS



ALUMUNIUM PNEUMATIC ACTUATORS

Anodized aluminium pneumatic actuator, double acting "DA" and spring return "SR". "DA" available from 8 to 8000 Nm, "SR" available from 15 to 4000 Nm. On request: Epoxy painting, nikel plating or other surface treatments. low temperature version -50 ºC, high temperature version +150 ºC.




ALUMUNIUM PNEUMATIC ACTUATORS WITH EMERGENCY HAND WHEEL

Aluminium pneumatic actuator with emergency handwheel, double acting "DAV" and spring return "SRV". "DAV" available from 60 to 960 Nm, "SRV" from 60 to 480 Nm.



STAINLESS STEEL AND CARBON STEEL PNEUMATIC ACTUATORS

Stainless steel and carbon steel pneumatic actuator, double acting "DA" and spring return "SR". For stainless steel version, "DA" available from 15 to 1920 Nm, "SR" from 15 to 960 Nm. For Epoxy painted Carbon Steel versions, "DA" available from 720 to 1920 Nm, SR from 360 to 960 Nm.



TWO STAGES PNEUMATIC ACTUATORS

Two stages Alluminium pneumatic double acting actuators "DD". Available from 30 to 480 Nm.



ELECTRIC ACTUATORS

On-off and modulating electric actuators. Available from 10 up to 2000 Nm, voltage 230 Vac, 110 Vac, 24 Vac/dc.

BALL VALVES



BRASS BALL VALVES

Full bore threaded ends Brass ball valves with ISO 5211 pad for actuator. Available from 3/8" (DN 10) to 3" (DN 80).



3 WAY BRASS BALL VALVES

3 way "L" and "T" port full bore threaded ends Brass Ball valves with ISO 5211 pad for actuator. Available from from 3/8" (DN 10) to 2" (DN 50).



STAINLESS STEEL BALL VALVES

Full bore threaded ends Stainless steel ball valves. Available from 3/8" (DN 10) to 4" (DN 100).

OUR PRODUCTS



STAINLESS STEEL BALL VALVES

Full bore stainless steel ball valves, flanged, DIN 11851 connection for food industry, with ISO 5211 pad for actuator
Available from DN 10 to DN 100.



3 WAY STAINLESS STEEL BALL VALVES

3 way "L" and "T" port, stainless steel full bore ball valves, with threaded ends, flanged, DIN 11851 connections for food industry, with ISO 5211 pad for actuator. Available from DN 10 to DN 100.



THREE PIECES STAINLESS STEEL BALL VALVES

Full bore three pieces stainless steel ball valves, with threaded ends, butt or socked welded ends, with ISO 5211 pad for actuator. Available 1/4" (DN 8) to 4" (DN 100) .



HIGH PRESSURE BALL VALVES

High pressure threaded ends carbon or stainless steel ball valves.
Available from 3/8" (DN 10) to 2" (DN 50).



3 WAY HIGH PRESSURE BALL VALVES

3 way "L" port full bore high pressure carbon steel ball valves with threaded connections.
Available from 3/8" (DN 10) to 1" (DN 125).



PVC BALL VALVES

Full bore PVC ball valves with threaded or bonded connections.
Available from DN 10 to DN 100.



THREE WAY PVC BALL VALVES

3 way "T" or "L" port full bore PVC ball valves, with threaded or bonded connections.
Available from DN 10 to DN 50.



WATER BALL VALVES

Carbon steel and stainless steel "WATER" ball valves, PN16 and PN 40; ANSI flaged.
Available from DN 15 to DN 100. Available also in LF2 and F51 Duplex and other materials on request.



SPLIT WAFER BALL VALVES

Carbon steel and stainless steel "SPLIT WAFER" ball valves, PN16/40/63/100; ANSI 150/300/600. Available from DN 15 to DN 200. Available also in LF2 and F51 Duplex and others materials on request.



SPLIT BODY FLANGED BALL VALVES

Carbon steel and Stainless steel flanged "SPLIT BODY" ball valves, PN16/40/63/100; ASME/API6D 150/300/600/900/1500 full bore and reduced bore.
Available from DN 15 to DN 200. Available also in LF2 and F51 Duplex and others materials on request.



THREE WAY BALL VALVES

3 way Carbon steel and Stainless steel "SPLIT WAFER" and "SPLIT BODY" valves, PN 16/25/40; ANSI 150/300.
Available from DN 15 to DN 100.

OUR PRODUCTS

BUTTERFLY VALVES



BUTTERFLY VALVES

Cast iron "WAFER and "LUG" butterfly valves, disc and seats in different materials, suitables for PN10, PN 16 and ANSI150. Available from DN 40 to DN 600.



STAINLESS STEEL BUTTERFLY VALVES

Stainless steel butterfly valves with threaded, butt welded, DIN 11851 or clamp connections for food industry. Available from DN 25 to DN 100.

AUTOMATIC VALVES



VIP

Double acting or spring return pneumatic coaxial valves, with threaded connections BSP and NPT. Available from 3/8" (DN 10) to 2" (DN 50).



ARES - ZEUS - ATENA


Double acting or spring return pneumatic angle seat valves. Threaded, flanged, welded and clamp connections (3A and ISO). Available from DN 15 to DN 50. PN 25 in stainless Steel and PN 16 in Bronze.

ACCESSORIES



SOLENOIDS

Monostable or bistable ISO, NAMUR or threaded connections solenoid valves for double acting or spring return pneumatic actuators.



LIMIT SWITCH

Electro-mechanical, proximity and pneumatic limit swicthes, with mounting bracket for actuators. ATEX, intrinsically safe "EExia" or Explosion proof "EExd" versions available.



LIMIT SWITCH BOX

Limit switch box with aluminium or plastic case with visual indicator and mounting bracket for actuators. ATEX, intrinsically safe "EExia" or Explosion proof "EExd" versions available.



POSITIONERS


Pneumatic 3 - 15 PSI and electro - pneumatic 4 - 20 mA positioners with mounting bracket for actuators.
Available in ATEX execution.



EMERGENCY MANUAL GEARBOX

Declucthable emergency manual gearbox for valves with double acting or spring return pneumatic actuators.
Available up to 8.000 Nm.

CERTIFICATES



ACTUATORS.



BUTTERFLY VALVES.



AUTOMATIC VALVES.



BALL VALVES.



MAGNUM AND THOR .





OMAL CERTIFICATES.

rotork®



Electric Control Valve Actuators (Extraction).

Linear and rotary actuators.

CVA range



Linear, quarter-turn and rotary actuators.

CMA range



IQ - Multi-turn actuators.

IQ range




ROM - compact and lightweight design.

ROM range



Damper Actuation Focused.





Electric Actuators with
or w/o Spring Return.






Switch Boxes
and Position Indicators.












Manual Operators.





One Air-Damper - Various Actuator Solutions.



Temperature Triggers
for Fire-Dampers.










Pneumatic Control Components
and Air Preparation.





Pneumatic Actuators
Such as rack and pinion
Scotch/yoke, Vane,
Electro-Hydraulic.














Positioners.



Spring Assembly.







PRECISION WORK AND LESS CROP DUE TO PRECISE ALIGNMENT AND POSITIONING USING LASERS

Point, crosshair or linelasers are used to align or to position object in industry and craft. They replace rulers, stops, measuring aids or templates. Lasers may show the working points of machines, e.g. the aiming point of drills or needles, or cutting lines of saws. They assist the operator in placing the work piexes at the right position, avoiding crop. Laser lines and spots don't move when touched, and you can use both hands dor working

Wood
Stone
Plastics
Fabrics
Leather
Composite
Concrete
Paper
Gluelam Trusses
Assembly
Tin

Wind Energy
Textile Industry
Sanwmills
Prefabrication
Veneer
Food Industry
Metrology
Metal Construction
Automotive
Masonry
Healthcare


THE RIGHT SOLUTION FOR EVERY APPLICATION

The field of application for laser is as manifold as the use of rulers, templates or measuring tools. You havea wide variety of attributes to choose from: point, croos or line; red pr green; long or short; fixed or movable laser; fixed or focusable; optimised for cameras or for the human eyes - LAP offers wide range of lasers to solve all common tasks and if you have a special demand, we will find a solution, as we manufacture LAP lasers inhouse, using our own know-how

OUR PRODUCTS

BLESS
Industrial Technology

HYDRAULIC COMPONENTS AND SYSTEM.



Hydraulic Pump System.



Hydraulic Filtratron.



Hydraulic Directional Valve.



Heavy Duty Cylinder.




Hydraulic Power Unit.

OUR PRODUCTS

MECHANICAL ELECTRICAL ENGINEERING & WORKSHOP.



Hydraulic Cool Press.



Power Pack System.







Capasitor Bank Panel.

OUR CUSTOMERS

SECTORS

Electronic	*Plastics*
Food & Beverages	*Pulp & Papers*
Furnitures	*Textiles*
Pharmacy	*Energy Sector*

COMPANY

General Industry.

Apac Inti Corpora, PT.
Coca Cola Amatil Indonesia, PT.
Djarum, PT.
Garuda Food, PT.
Indofood CBP Sukses Makmur, PT.
Pura Barutama Grup, PT.
Eternit Gresik, PT.
Sorini Agro Asia Corporindo, Tbk
Tjiwi Kimia, Tbk, PT .
Unilever Indonesia, Tbk, PT .
Wilmar Nabati Indonesia, PT.
Japfa Comfeed, PT
Konimex, PT.
Sari Husada, PT.
Mekabox Internasional, PT.
Nippon Indosari Corpindo, PT.
Sinar Karya Duta Abadi, PT.

Energy Sector.

Pertamina RU, PT.
Pertamina EP, PT.
Pupuk Kalimantan Timur, PT.
Pupuk Kujang, PT.
Pupuk Sriwijaya, PT.
Semen Padang, PT.
Exxon Mobil Indonesia, PT.
Wijaya Engindo Nusa, PT.

OFFICE

PT. NORGANTARA SURYA GEMILANG
Graha Cempaka Mas, Blok A 27
Jl. Letjend Suprapto
Jakarta Pusat.
Telp : +6221 4280 2555
Fax : +6221 4280 3555
Email : sales@norgantara.com

PT. NORGANTARA PRIMA PERKASA
Ruko Patimura Blok 15
Jl. Patimura No. 5, Semarang 50123
Telp : +6224 3515 157
+6224 3515 157
+6224 3588 816
Fax : +6224 3555 379
Email : semarang@norgantara.com

PT. NORGANTARA SURYA GEMILANG
Ruko Tirta Raya 1 / 8
Graha Tirta - Sidoarjo, Surabaya
Telp : +6231 8552 658
+6231 8552 659
Fax : +6231 8552 660
Email : surabaya@norgantara.com

CV. NORGANTARA NIAGA UTAMA
Jl. Panda AM - 8 Solo Baru, Solo 57552
Graha Tirta - Sidoarjo, Surabaya
Telp : +62271 626 211
+62271 625 901
Fax : +62271 625 901
Email : solo@norgantara.com

WORKSHOP

JAKARTA
Jl. Pahlawan Leuwinutung No.555
Citeureup, Sentul, Bogor 16810
Jawa Barat Indonesia
Semarang
Telp : +6221 879 51745
+6221 879 517408
Fax : +6221 879 51727
Email : sales@norgantara.com

SEMARANG
Kawasan Industri Candi Gatot Subroto
Tahap V - Blok 29 / A1 No.26
Semarang
Telp : +6224 7643 0046
+6224 762 7091
Fax : +6224 762 7091
Email : semarang@mdt.co.id